



CHENNAI METTEX LAB PRIVATE LIMITED®

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA
Phone : +91 44 22323163, 22311034, 42179490, 42179491 | CIN : U74999TN2008PTC069459
Email : test@mettexlab.com | Web : www.mettexlab.com



TEST REPORT

Page No. 1 of 8

ISSUED TO : M/s.Savvy Jump Enterprises,
No : 15/1A, 1st Floor, 15th Cross Street Main Road,
Thiruvalluvar Nagar Extension, Bharathiar University
Post, Vadavalli, Coimbatore Corporation Ward - 37,
Coimbatore, Tamil Nadu - 641 046.

T.C Date : 02.03.2026

T.C No : CML/25-26/T123168

ULR-TC558926000018582F

Date of Receipt : 17.02.2026

Cust. Ref : SRF Dated : 16.02.2026

Commenced on : 17.02.2026

Lab No : 2657466/003

Completed on : 25.02.2026

Sample Name : Cashew; **Brand Name :** Perumo; **Batch Code :** CA027ZA; **Lic No :** 12426003000440.
(as stated by customer)

S. No	Test Parameters	Prescribed Standards as per 2.3.47 (7) of the Food Safety and Standards (Food Product Standards and Food additives) & (Contaminants, Toxins and Residues) Regulation, 2011	Test Results	Test Method
1	Discipline : Chemical Quality Test Parameters	Group : Food and Agricultural Products Sub Group : Nuts & nut products		
	Moisture content, % by mass	Not more than 5.0	2.86	FSSAI Manual - Fruits and Vegetables Products : 2016
	Acid-insoluble ash, % by mass, on dry basis	Not more than 0.1	ND (DL : 0.01)	
	Total tolerances, % by mass	Not more than 5.0	ND (DL : 0.1)	
	Superficial damage, % by mass	Not more than 2.0	ND (DL : 0.1)	CML/A&F/N&N/SOP/11: 2016
	Immature or shrivelled (deformed), % by mass	Not more than 2.0	ND (DL : 0.1)	
	Speckled or spotted (black or brown), % by mass	Not more than 0.5	ND (DL : 0.1)	
	Presence of testa, % by mass	Not more than 2.0	ND (DL : 0.1)	
	Insect damage, % by mass	Not more than 0.5	ND (DL : 0.01)	
	Foreign matter, % by mass	Not more than 0.05	ND (DL : 0.01)	
	Extraneous vegetable matter, % by mass	Not more than 1.0	ND (DL : 0.1)	IS 4684 : 1975
	Free fatty acid (expressed as oleic acid), %	Not more than 1.25	0.16	
	Peroxide value, meq/kg	Not more than 10.0	ND (DL : 1.0)	FSSAI 02.042
2	Discipline - Chemical Crop Contaminants	Group - Residues and Contaminants in Food & Agricultural Products Sub Group - Mycotoxins		
	Aflatoxin B1	Not more than 10 µg/kg	ND (DL : 0.4 µg/kg)	FSSAI 07.012
	Total Aflatoxins	Not more than 15 µg/kg	ND (DL : 0.4 µg/kg)	

...Contd....2

D. Sathya Narayanan

NOTE: Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders will be liable for legal action. Unless otherwise stated the submitted results in this test report refer only to the sample(s) tested and such sample(s) are retained for 15 days only from the completion date of testing, except in case of regulatory samples, which will be retained for a specific period as per statutory requirement; while perishable & environmental testing related remnant samples will be discarded consequent upon completion of testing. Samples are not drawn by us unless otherwise stated. This document cannot be reproduced except in full, without prior written approval of the laboratory. This report is for the exclusive use of Chennai Mettex Lab's customer, and is provided in accordance with the agreement between Chennai Mettex Lab and its Customer.

CML/LAB/F/7.8/1



CHENNAI METTEX LAB PRIVATE LIMITED®

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA
Phone : +91 44 22323163, 22311034, 42179490, 42179491 | CIN : U74999TN2008PTC069459
Email : test@mettexlab.com | Web : www.mettexlab.com



Lab No : 2657466/003

T.C No: CML/25-26/T123168

Dated : 02.03.2026

Page No. 2 of 8

S. No	Test Parameters	Prescribed Standards as per 2.3.47 (7) of the Food Safety and Standards (Food Product Standards and Food additives) & (Contaminants, Toxins and Residues) Regulation, 2011	Test Results	Test Method
3	Nutritional Parameters			
	Energy	--	625 Kcal/100g	CML/A&F/NI/SOP/01
	Total Carbohydrates	--	23.9 g/100g	AOAC 986.26
	Protein	--	20.34 g/100g	FSSAI 03.017
	Total Dietary Fiber	--	3.14 g/100g	AOAC 985.29
	Total Sugar	--	6.09 g/100g	AOAC 925.42
	Added Sugar	--	ND (DL : 0.5 g/100g)	
	Saturated Fat	--	8.82 g/100g	FSSAI 02.019
	Trans Fat	--	ND (DL : 0.05 g/100g)	
	Cholesterol	--	ND (DL : 10 mg/100g)	AOAC 994.10
	Minerals			
	Sodium as Na	--	5.43 mg/100g	FSSAI Manual of Methods of Analysis of Foods (Metals)
	Calcium as Ca	--	46.31 mg/100g	
	Iron as Fe	--	4.77 mg/100g	
	Magnesium as Mg	--	227.6 mg/100g	
4	Discipline - Chemical			

J. Henedelth

...Contd....3

D. Srinivas Narayana

NOTE: Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders will be liable for legal action. Unless otherwise stated the submitted results in this test report refer only to the sample(s) tested and such sample(s) are retained for 15 days only from the completion date of testing, except in case of regulatory samples, which will be retained for a specific period as per statutory requirement; while perishable & environmental testing related remnant samples will be discarded consequent upon completion of testing. Samples are not drawn by us unless otherwise stated. This document cannot be reproduced except in full, without prior written approval of the laboratory. This report is for the exclusive use of Chennai Mettex Lab's customer, and is provided in accordance with the agreement between Chennai Mettex Lab and its Customer.

CML/LAB/F/7.8/1



CHENNAI METTEX LAB PRIVATE LIMITED®

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA
Phone : +91 44 22323163, 22311034, 42179490, 42179491 | CIN : U74999TN2008PTC069459
Email : test@mettexlab.com | Web : www.mettexlab.com



TC-5589



Lab No : 2657466/003

T.C No: CML/25-26/T123168

Dated : 02.03.2026

Page No. 3 of 8

S. No	Test Parameters	Test Method	Test Results	Prescribed Standards as per 2.3.47 (7) of the Food Safety and Standards (Food Product Standards and Food additives) & (Contaminants, Toxins and Residues) Regulation, 2011
6	Discipline - Chemical Pesticide Residues	Group - Residues and Contaminants in Food & Agricultural Products Sub Group - Pesticides		
1	2,4-Dichlorophenoxy Acetic Acid	CML/INS/SOP/16	ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Acephate		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Acetamiprid		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Alachlor		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Alpha Cypermethrin		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Alpha Naphthyl Acetic Acid		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Ametoctradin		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Anilophos		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Atrazine		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Azimsulfuron		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Azoxystrobin		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Benfuracarb		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Benomyl		ND (DL : 0.01 mg/kg)	Not more than 0.1 mg/kg
	Bensulfuron Methyl		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Beta Cyfluthrin		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Bifenthrin		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Bitertanol		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Buprofezin		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Butachlor		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Captan		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Carbaryl		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Sum of benomyl and carbendazim expressed as carbendazim		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Carbendazim		ND (DL : 0.01 mg/kg)	Not more than 0.1 mg/kg
	Carbofuran		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Carbosulfan		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Carfentrazone Ethyl		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Carpropamid		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Cartap Hydrochloride		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Chlorantraniliprole		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Chlorfenapyr		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Chlorfluzuron		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Chlorimuron ethyl		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Chlormequat Chloride (CCC)		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg

...Contd....4

[Signature]

NOTE: Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders will be liable for legal action. Unless otherwise stated the submitted results in this test report refer only to the sample(s) tested and such sample(s) are retained for 15 days only from the completion date of testing, except in case of regulatory samples, which will be retained for a specific period as per statutory requirement; while perishable & environmental testing related remnant samples will be discarded consequent upon completion of testing. Samples are not drawn by us unless otherwise stated. This document cannot be reproduced except in full, without prior written approval of the laboratory. This report is for the exclusive use of Chennai Mettex Lab's customer, and is provided in accordance with the agreement between Chennai Mettex Lab and its Customer.

CML/LAB/F/7.8/1



CHENNAI METTEX LAB PRIVATE LIMITED®



Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA
Phone : +91 44 22323163, 22311034, 42179490, 42179491 | CIN : U74999TN2008PTC069459
Email : test@mettexlab.com | Web : www.mettexlab.com

Lab No : 2657466/003 T.C No : CML/25-26/T123168 Dated : 02.03.2026 Page No. 4 of 8

S. No	Test Parameters	Test Method	Test Results	Prescribed Standards as per 2.3.47 (7) of the Food Safety and Standards (Food Product Standards and Food additives) & (Contaminants, Toxins and Residues) Regulation, 2011
1	Chlorothalonil	CML/INS/SOP/16	ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Chlorpropham		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Chlorpyrifos		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Chlothianidin		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Chromafenozide		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Cinmethylin		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Clodinafop-propargyl		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Clomazone		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Cyantranilprole		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Cyazofamid		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Cyhalofop-butyl		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Cymoxanil		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Cypermethrin		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Deltamethrin (Decamethrin)		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Diafenthiuron		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Dichlorvos		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Diclofopdiclofop-methyl		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Diclosulam		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Dicofol isomers		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Difenoconazole		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Diflubenzuron		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Dimethoate		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Dimethomorph		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Dinocap		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Dinotefuran		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Dithianon		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Dithiocarbamates (Matiram as CS2)		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Diuron		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Dodine		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Ethylene bis-Dithiocarbamates		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Edifenphos		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Emamectin Benzoate		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Epoxyconazole		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Ethephon		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Ethion		ND (DL : 0.01 mg/kg)	Not more than 0.1 mg/kg
	Ethofenprox (Etofenprox)		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Ethoxysulfuron		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Etoxazole		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Famoxadone		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Fenamidone		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg

... Contd....5

D. Selvaraj Nargan

NOTE: Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders will be liable for legal action. Unless otherwise stated the submitted results in this test report refer only to the sample(s) tested and such sample(s) are retained for 15 days only from the completion date of testing, except in case of regulatory samples, which will be retained for a specific period as per statutory requirement; while perishable & environmental testing related remnant samples will be discarded consequent upon completion of testing. Samples are not drawn by us unless otherwise stated. This document cannot be reproduced except in full, without prior written approval of the laboratory. This report is for the exclusive use of Chennai Mettex Lab's customer, and is provided in accordance with the agreement between Chennai Mettex Lab and its Customer.

CML/LAB/F/7.8/1



CHENNAI METTEX LAB PRIVATE LIMITED®



Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA
Phone : +91 44 22323163, 22311034, 42179490, 42179491 | CIN : U74999TN2008PTC069459
Email : test@mettexlab.com | Web : www.mettexlab.com

Lab No : 2657466/003 T.C No : CML/25-26/T123168 Dated : 02.03.2026 Page No. 5 of 8

S. No	Test Parameters	Test Method	Test Results	Prescribed Standards as per 2.3.47 (7) of the Food Safety and Standards (Food Product Standards and Food additives) & (Contaminants, Toxins and Residues) Regulation, 2011
1	Fenarimol	CML/INS/SOP/16	ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Fenazaquin		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Fenobucarb (BPMC)		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Fenoxaprop-p-ethyl		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Fenpropathrin		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Fenpyroximate		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Fenvalerate		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Fipronil		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Flonicamid		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Fluazifop-p-butyl		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Flubendiamide		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Fluchloralin		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Flufenacet		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Flusilazole		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Fluvalinate		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Forchlorfenuron		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Fosetyl-Al		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Glufosinate Ammonium		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Glyphosate		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Halosulfuron methyl		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Hexaconazole		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Hexazinone		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Hexythiazox		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Iodosulfuron Methyl Sodium		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Imazethapyr		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Imidacloprid		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Indoxacarb		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Iprobenfos (Kitazin)		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Iprodione		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Isoprothiolane		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Isoproturon		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Kasugamycin		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Kresoxim Methyl		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Lambda cyhalothrin		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Linuron		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Lufenuron		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Malathion combined residues of malathion and malaoxon)		ND (DL : 0.01 mg/kg)	Not more than 8.0 mg/kg
	Mandipropamid		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Mepiquat Chloride		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Mesosulfuron Methyl		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Metaflumizone		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Metalaxyl		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg

... Contd....6

D. Srinivas Narayan

NOTE: Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders will be liable for legal action. Unless otherwise stated the submitted results in this test report refer only to the sample(s) tested and such sample(s) are retained for 15 days only from the completion date of testing, except in case of regulatory samples, which will be retained for a specific period as per statutory requirement; while perishable & environmental testing related remnant samples will be discarded consequent upon completion of testing. Samples are not drawn by us unless otherwise stated. This document cannot be reproduced except in full, without prior written approval of the laboratory. This report is for the exclusive use of Chennai Mettex Lab's customer, and is provided in accordance with the agreement between Chennai Mettex Lab and its Customer.

CML/LAB/F/7.8/1



CHENNAI METTEX LAB PRIVATE LIMITED®

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA
Phone : +91 44 22323163, 22311034, 42179490, 42179491 | CIN : U74999TN2008PTC069459
Email : test@mettexlab.com | Web : www.mettexlab.com



TC-5589



Lab No : 2657466/003 T.C No : CML/25-26/T123168 Dated : 02.03.2026 Page No. 6 of 8

S. No	Test Parameters	Test Method	Test Results	Prescribed Standards as per 2.3.47 (7) of the Food Safety and Standards (Food Product Standards and Food additives) & (Contaminants, Toxins and Residues) Regulation, 2011
1	Metalaxyl-M	CML/INS/SOP/16	ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Methabenzthiazuron		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Methomyl		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Methyl Chlorophenoxy Acetic Acid (MCPA)		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Methyl Parathion		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Metolachlor		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Metribuzin		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Metsulfuron Methyl		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Milbemectin		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Monocrotophos		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Myclobutanil		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Novaluron		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Orthosulfamuron		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Oxadiargyl		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Oxadiazon		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Oxydemeton-Methyl		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Oxyfluorfen		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Paclobutrazol		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Paraquat dichloride		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Penconazole		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Pencycuron		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Pendimethalin		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Penoxsulam		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Permethrin		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Phenthoate		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Phorate		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Phosalone		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Picoxystrobin		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Pinoxaden		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Pretilachlor		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Pirimiphos-methyl		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Profenofos		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Prohexadione calcium		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Propaquizafop		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Propargite		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Propiconazole		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Propineb		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Propiconazole		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Propineb		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Pyraclostrobin		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Pyrazosulfuron ethyl		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Pyridalyl		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg

... Contd....7

D. Sathya Narayanan

NOTE: Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders will be liable for legal action. Unless otherwise stated the submitted results in this test report refer only to the sample(s) tested and such sample(s) are retained for 15 days only from the completion date of testing, except in case of regulatory samples, which will be retained for a specific period as per statutory requirement; while perishable & environmental testing related remnant samples will be discarded consequent upon completion of testing. Samples are not drawn by us unless otherwise stated. This document cannot be reproduced except in full, without prior written approval of the laboratory. This report is for the exclusive use of Chennai Mettex Lab's customer, and is provided in accordance with the agreement between Chennai Mettex Lab and its Customer.

CML/LAB/F/7.8/1



CHENNAI METTEX LAB PRIVATE LIMITED®



Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA
Phone : +91 44 22323163, 22311034, 42179490, 42179491 | CIN : U74999TN2008PTC069459
Email : test@mettexlab.com | Web : www.mettexlab.com

Lab No : 2657466/003 T.C No : CML/25-26/T123168 Dated : 02.03.2026 Page No. 7 of 8

S. No	Test Parameters	Test Method	Test Results	Prescribed Standards as per 2.3.47 (7) of the Food Safety and Standards (Food Product Standards and Food additives) & (Contaminants, Toxins and Residues) Regulation, 2011
1	Pyriproxyfen	CML/INS/SOP/16	ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Pyrithiobac Sodium		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Pymetrozine		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Quinalphos		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Quizalofop ethyl		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Quizalofop-P-tefuryl		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Sodium Aceflurofen		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Spinosad		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Spiromesifen		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Sulfosulfuron		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Tebuconazole		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Thiacloprid		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Thifluzamide		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Thiodicarb		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Thiamethoxam		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Thiometon sulphone expressed as thiometon)		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Thiophanate-Methyl		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Tolfenpyrad		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Trichlorfon		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Triacantanol		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Triadimefon		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Trifloxystrobin		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Triallate		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Triasulfuron		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Triazophos		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Tricyclazole		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Tridemorph		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Trifluralin		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Validamycin		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Fluopicolide		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Tembotrione		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Propanil		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Fluopyram		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Topramezone		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Thiocyclam		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	2,4-D Amine Salt		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Ametyrn		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Fomesafen		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Imazamox		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Spinetoram (Spinosyn-J and Spinosyn-L)		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Sodium Para Nitro Phenolate		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Bentazone		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Cyflumetofen		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Boscalid		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Flucetosulfuron		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg

... Contd...8

Signature

NOTE: Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders will be liable for legal action. Unless otherwise stated the submitted results in this test report refer only to the sample(s) tested and such sample(s) are retained for 15 days only from the completion date of testing., except in case of regulatory samples, which will be retained for a specific period as per statutory requirement; while perishable & environmental testing related remnant samples will be discarded consequent upon completion of testing. Samples are not drawn by us unless otherwise stated. This document cannot be reproduced except in full, without prior written approval of the laboratory. This report is for the exclusive use of Chennai Mettex Lab's customer, and is provided in accordance with the agreement between Chennai Mettex Lab and its Customer.

CML/LAB/F/7.8/1



CHENNAI METTEX LAB PRIVATE LIMITED[®]



Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA
Phone : +91 44 22323163, 22311034, 42179490, 42179491 | CIN : U74999TN2008PTC069459
Email : test@mettexlab.com | Web : www.mettexlab.com

Lab No : 2657466/003

T.C No : CML/25-26/T123168

Dated : 02.03.2026

Page No. 8 of 8

S. No	Test Parameters	Test Method	Test Results	Prescribed Standards as per 2.3.47 (7) of the Food Safety and Standards (Food Product Standards and Food additives) & (Contaminants, Toxins and Residues) Regulation, 2011
1	Haloxypop-R Methyl	CML/INS/SOP/16	ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Sulfentrazone		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Spirotetramat		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Metrafenone		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Fluxapyroxad		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Tetraconazole		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Abamectin		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Flupyradifurone		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Difluoroethylamino-furanone		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Sulfoxaflor		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
Banned insecticides				
2	Aldicarb (sum of Aldicarb its sulfoxide and sulphone)	CML/INS/SOP/16	ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Aldrin, Dieldrin		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Chlordane (Total of α - and β -chlordane)		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Heptachlor (heptachlor metabolite, heptachlor epoxide)		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Lindane (Gamma (γ) HCH), Alpha HCH, Beta HCH & delta-HCH)		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Endosulfan (Total of alpha endosulfan & beta endosulfan and endosulfan sulphate)		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Carbofuran		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Methomyl		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Phosphamidon		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Captafol		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Ferbam		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Simazine		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Diazinon		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	D.D.T (Total of p,p'-DDT, o,p'-DDT, p,p'-DDE, o,p'-DDE, p,p'-DDD and o,p'-DDE)		ND (DL : 0.01 mg/kg)	Not more than 0.05* mg/kg
	Fenitrothion		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Fenthion (sum of fenthion, its oxygen analogue and their sulfoxides and Sulphones)		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Methyl Parathion (Methyl Parathion and its oxygen analogue i.e. methyl paraoxon)		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Ethyl Parathion (Ethyl Parathion and its oxygen analogue i.e. ethyl paraoxon)		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
	Monocrotophos		ND (DL : 0.01 mg/kg)	Not more than 0.01* mg/kg
Remarks : The sample of "Cashews" conforms to the Prescribed Standards as per 2.3.47 (7) of the Food Safety and Standards (Food Products Standards and Food Additives) & (Contaminants, Toxins and Residues) Regulations, 2011 with respect to the above tested parameters.				
Note : Test Parameters requested by customer (FBO).				
Abbreviation : ND - Not Detected, DL - Detection Limit; CFU - Colony Forming Unit.				
<10 cfu/g can be taken as "No Microbial Growth" in 1:10 dilution				

Remarks : The sample of "Cashews" conforms to the Prescribed Standards as per 2.3.47 (7) of the Food Safety and Standards (Food Products Standards and Food Additives) & (Contaminants, Toxins and Residues) Regulations, 2011 with respect to the above tested parameters.

Note : Test Parameters requested by customer (FBO).

Abbreviation : ND - Not Detected, DL - Detection Limit; CFU - Colony Forming Unit.
<10 cfu/g can be taken as "No Microbial Growth" in 1:10 dilution.

End of Report

J. Hemalatha
Reviewed & Authorized by
J. HEMALATHA
Food Analyst
Authorised Signatory



For Chennai Mettex Lab Private Limited

Dr. D. Sathya Narayanan
Reviewed & Authorized by
Dr. D. SATHYA NARAYANAN
Food Analyst
Authorised Signatory

NOTE: Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders will be liable for legal action. Unless otherwise stated the submitted results in this test report refer only to the sample(s) tested and such sample(s) are retained for 15 days only from the completion date of testing, except in case of regulatory samples, which will be retained for a specific period as per statutory requirement; while perishable & environmental testing related remnant samples will be discarded consequent upon completion of testing. Samples are not drawn by us unless otherwise stated. This document cannot be reproduced except in full, without prior written approval of the laboratory. This report is for the exclusive use of Chennai Mettex Lab's customer, and is provided in accordance with the agreement between Chennai Mettex Lab and its Customer.

CML/LAB/F/7.8/1



CHENNAI METTEX LAB PRIVATE LIMITED[®]

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA
Phone : +91 44 22323163, 22311034, 42179490, 42179491 | CIN : U74999TN2008PTC069459
Email : test@mettexlab.com | Web : www.mettexlab.com

TEST REPORT

Page No. 1 of 1

ISSUED TO : M/s.Savvy Jump Enterprises,
No : 15/1A, 1st Floor, 15th Cross Street Main Road,
Thiruvalluvar Nagar Extension, Bharathiar University
Post, Vadavalli, Coimbatore Corporation Ward - 37,
Coimbatore, Tamil Nadu - 641 046.

T.C Date : 02.03.2026
T.C No : CML/25-26/T123168-A

Cust. Ref : SRF Dated : 16.02.2026
Lab No : 2657466/003

Date of Receipt : 17.02.2026
Commenced on : 17.02.2026
Completed on : 25.02.2026

Sample Name : Cashew; **Brand Name :** Perumo; **Batch Code :** CA027ZA; **Lic No :** 12426003000440.
(as stated by customer)

S. No	Test Parameters	Prescribed Standards as per 2.3.47 (7) of the Food Safety and Standards (Food Product Standards and Food additives) Regulation, 2011	Test Results	Test Method
1	Minerals			
	Potassium as K	--	535.5 mg/100g	FSSAI Manual of Methods of Analysis of Foods (Metals)
	Phosphorous as P	--	532.9 mg/100g	
2	Vitamin			
	Vitamin D	--	ND (DL : 5 µg/100g)	AOAC 2016.05
3	Microbiological Parameter			
	<i>Escherichia coli</i> O157 and Vero or Shiga toxin producing <i>E coli</i>	Absent/25g	Absent/25g	FSSAI 15.013 : 2024
Remarks : The sample of "Cashews" conforms to the Prescribed Standards as per 2.3.47 (7) of the Food Safety and Standards (Food Products Standards and Food Additives) Regulations, 2011 with respect to the above tested parameters. Note : Test Parameters requested by customer (FBO). Abbreviation : ND - Not Detected, DL - Detection Limit.				

End of Report

J. Hemalatha


Reviewed & Authorized by
J. HEMALATHA
Food Analyst
Authorised Signatory



For Chennai Mettex Lab Private Limited

D. Sathya Narayanan

Reviewed & Authorized by
Dr. D. SATHIYA NARAYANAN
Food Analyst
Authorised Signatory



NOTE: Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders will be liable for legal action. Unless otherwise stated the submitted results in this test report refer only to the sample(s) tested and such sample(s) are retained for 15 days only from the completion date of testing, except in case of regulatory samples, which will be retained for a specific period as per statutory requirement; while perishable & environmental testing related remnant samples will be discarded consequent upon completion of testing. Samples are not drawn by us unless otherwise stated. This document cannot be reproduced except in full, without prior written approval of the laboratory. This report is for the exclusive use of Chennai Mettex Lab's customer, and is provided in accordance with the agreement between Chennai Mettex Lab and its Customer.



CHENNAI METTEX LAB PRIVATE LIMITED®

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032, Tamil Nadu, INDIA
Phone : +91 44 22323163, 22311034, 42179490, 42179491 | CIN : U74999TN2008PTC069459
Email : test@mettexlab.com | Web : www.mettexlab.com



TEST REPORT

Page No. 1 of 1

ISSUED TO : M/s.SAVVY Jump Enterprises.,

No : 15/1A, 1st Floor, 15th Cross Street Main Road,
Thiruvallur Nagar Extension, Bharathiar University Post,
Vadavalli, Coimbatore Corporation Ward - 37,
Coimbatore-641 046,
Tamil Nadu, India.

Cust. Ref : SRF Dated : 18.02.2026

Lab No : 2658461/002

T.C Date : 24.02.2026

T.C No : CML/25-26/T120807

ULR-TC558926000016703F

Date Of Receipt : 18.02.2026

Commenced On : 24.02.2026

Completed On : 24.02.2026

Sample Name : Packing Cashew Nut.
(as stated by customer)

S. No	Test parameters	Test Method	Unit	Test result	Specification for Polyethylene for its safe use in contact with Foodstuffs, Pharmaceuticals and Drinking water (as per IS 10146 : 1982)
Discipline: Mechanical			Group: Plastics and Plastic Products		
Overall migration			Sub Group: Packaging & containers		
1	Overall migration using Simulant D with n-heptane @ 38°C for 30 minutes	IS 9845 : 1998	mg/dm ²	BDL (DL : 1.0)	Not more than 10
Remarks : The sample confirms to the specification for Polyethylene for its safe use in contact with foodstuffs, pharmaceuticals and drinking water as per IS 10146 : 1982.					
Abbreviation: BDL: Below Detection Limit, DL: Detection Limit					

End of Report

For Chennai Mettex Lab Private Limited



Reviewed & Authorised by
G. PRABAGARAN
Technical Manager
Authorised Signatory



NOTE: Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders will be liable for legal action. Unless otherwise stated the submitted results in this test report refer only to the sample(s) tested and such sample(s) are retained for 15 days only from the completion date of testing, except in case of regulatory samples, which will be retained for a specific period as per statutory requirement; while perishable & environmental testing related remnant samples will be discarded consequent upon completion of testing. Samples are not drawn by us unless otherwise stated. This document cannot be reproduced except in full, without prior written approval of the laboratory. This report is for the exclusive use of Chennai Mettex Lab's customer, and is provided in accordance with the agreement between Chennai Mettex Lab and its Customer.

CML/LAB/F/7.8/1



CHENNAI METTEX LAB PRIVATE LIMITED®

(Approved by AAI, AGMARK, APEDA, AYUSH, BIS, EIC, FSSAI, GAFTA, IOPEPC, MOEF & TEA BOARD)

Jothi Complex, 83, M.K.N.Road, Guindy, Chennai - 600 032. Tamil Nadu. India.
Ph: +91 44 2232 3163, 2231 1034, 4217 9490, 4217 9491 | CIN : U74999TN2008PTC069459
Email : test@mettexlab.com | Web : www.mettexlab.com

Nutritional Information		
Cashew Nuts		
	Per 100g	% RDA* per (100g)
Energy	625 Kcal	31 %
Protein	20 g	
Total Carbohydrate	24 g	
Total Sugar	6 g	
Added Sugar	0 g	0 %
Total Dietary Fibre	3 g	
Saturated fat	9 g	40 %
Trans fat	0 g	0 %
Cholesterol	0 mg	
Sodium	5 mg	0.3 %
Calcium	46 mg	
Iron	5 mg	
Potassium	536 mg	
Phosphorous	533 mg	
Magnesium	228 mg	
Zinc	5 mg	
Selenium	0.2 mg	

* The % Recommended Dietary Allowance (RDA) tells you how much a nutrient in a serving of food contributes to a daily diet. The %RDA is calculated based on an energy requirement of 2000 kcal for average adult per day

